O₃ Welfare Assessment Plan: Scope and Methods for Exposure Analysis and Risk Assessment

Dr. Travis Smith
Office of Air Quality Planning and Standards
U.S. EPA

Clean Air Scientific Advisory Committee Meeting
CASAC Ozone Panel
May 20, 2011




Background for Secondary Standard

- After the review completed in 2008, the secondary NAAQS for ozone was set as identical to the primary standard
- The current reconsideration has proposed a separate secondary standard using the W126 metric



Ecosystems Services Framework





National Ozone Exposure Surface for Welfare Effects

- Need to interpolate exposure to include areas with few or no monitors
- Modeled Attainment Test Software (MATS)
 - 2005 CMAQ ambient modeled data (12 km grids)
 - Monitor data (2004 to 2006)
- Voronoi Neighbor Averaging (VNA) interpolation
 - Generated in BenMAP
 - Uses more recent monitor data (2008 to 2010)



Ecological Effects

- Biomass Loss
 - Concentration-Response (C-R) functions for 11 tree species from NHEERL-WED
 - USDA Forest Service Forest Inventory and Analysis (FIA) data for species growing ranges
- Foliar Injury
 - Incidence data from Forest Health Monitoring Program (FHM) and FIA data
 - National Park Service ozone sensitive species list
- Agricultural Data
 - C-R functions for domestic crop species (NCLAN data)



National Scale Vegetation Effects

- Potential biomass loss surface
 - C-R functions for 11 tree species
 - Ozone exposure surface
 - FIA species range data
- National foliar injury occurrence maps
- Endangered species critical habitat



Ecosystem Services

- Models for Ecosystem Services
 - AGSIM Economic valuation of agricultural yields for NCLAN crops
 - FASOM Economic valuation for agricultural yields as well as timber species
 - i-Tree Forest Service model for urban ecosystem services
 - VOC emissions
 - Building energy use
 - Pollution removal
 - Carbon storage and sequestration



Case Study Areas

- Use selected case study areas to generate more refined analyses of ecological effects
- More refined ecological analyses will allow for additional analyses of ecosystem services that are more difficult to quantify with existing models (e.g. Cultural services)
- Selection Criteria
 - Occur in area with expected elevated ozone levels
 - Availability of vegetation mapping, including estimates of species cover
 - Adequate geographic coverage including urban and natural settings
 - Occurrence of ozone sensitive species



National Parks

NPS Data

- Comprehensive vegetation mapping in conjunction with USGS
- Ozone sensitive species list for National Park units
- Trail and recreational area GIS data
- Recreational use data

Potential Parks

- Great Smoky Mountains NP
- Rocky Mountain NP
- Kings/Sequoia NPs

Possible Ecosystem Level Metrics

- Percent vegetation cover affected by foliar injury
- Percent of recreation areas affected by foliar injury and biomass loss
- Estimates of species specific biomass loss within NP unit



Urban Areas

- Potential urban areas with adequate resource data
 - San Diego County Multiple Species Conservation Plan (MSCP)
 - Boulder, Colorado regional planning data
- Ecosystem services
 - Similar to National Park areas
 - May be able to include wetlands specific information for sediment retention, flood control and nutrient cycling
- i-Tree Model